



## Inspection Report

MARY DICKEY  
RYAN DICKEY

Customer ID: **19125**

Certificate: **73-A-1950**

ATLANTIS HEDGEHOGS  
710 S UNION RD

Site: 001

RYAN AND MARY DICKEY

Type: ROUTINE INSPECTION

Date: Jan-26-2010

STILLWATER, OK 74074

### 3.125 (a)

#### FACILITIES, GENERAL.

Section 3.125(a) - Structural strength. Facilities must be constructed and maintained in such a manner as to protect the animals from injury and to contain the animals covered under Subpart F.

- The ceiling in the room where the animals are kept is peeling and the flakes could fall into the enclosures. The ceiling should be repaired or replaced to prevent potential harm to the animals. Correct by: 2/26/10

#### Prepared By:

NANCY ELLIFRIT, D.V.M. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 4006

Jan-26-2010

#### Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Jan-26-2010



## Inspection Report

---

MARY DICKEY  
ATLANTIS HEDGEHOGS  
710 S UNION RD

Customer ID: **19125**  
Certificate: **73-A-1950**  
Site: 001  
RYAN AND MARY DICKEY

STILLWATER, OK 74074

Type: ROUTINE INSPECTION  
Date: Jun-04-2008

---

### 3.131 (a) SANITATION.

Sec. 3.131 Sanitation. (a) Cleaning of enclosures. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors.

-The hedgehog enclosures have not been cleaned or sanitized recently. There was visible waste in the litter in the enclosures and a slight smell of ammonia in the room. The waste was attracting flies. The animals did not appear to be in any distress - however the pens should be cleaned on a more frequent basis to prevent the build up of excreta and odor which can create a disease hazard for the animals as well as odor and vermin attraction.

This affected all animals

To be corrected by June 5, 2008

### 3.131 (d) SANITATION.

Sec. 3.131 Sanitation. (d) Pest control. A safe and effective program for the control of insects, ectoparasites, and avian and mammalian pests shall be established and maintained.

-There were large numbers of flies in the hedgehog room. The flies were in the enclosures, on the exterior of the enclosures, in empty enclosures, and on the floor. There was no active fly control in place at time of inspection. The pens were dirty and were attracting the flies as well. The licensee must have a safe and effective method of pest control in place to prevent the potential spread of disease from these flies.

This affected all animals

To be corrected by June 5, 2008

---

#### Prepared By:

JAN R FELDMAN, A.C.I.      USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR      Inspector 4039

Date:  
Jun-04-2008

#### Received By:

(b)(6), (b)(7)(c)

Date:  
Jun-04-2008

Title:



## Inspection Report

---

This inspection was conducted by Jan Feldman - ACI and the licensee's husband. The licensee was contacted by phone during the inspection and the non compliant items were discussed.

Time of inspection: 10:15 am

---

**Prepared By:**

JAN R FELDMAN, A.C.I. USDA, APHIS, Animal Care

**Title:** ANIMAL CARE INSPECTOR Inspector 4039

**Date:**  
Jun-04-2008

**Received By:**

(b)(6), (b)(7)(c)

**Title:**

**Date:**  
Jun-04-2008